

Medicare Advantage Annual Wellness Visit

Patient Last Name, First Name	Date of Birth	Date	Provider
	Preventive Physical Examination (G0402) Annual Wellness Visit (G0438) 9)		Please note: Federally Qualified Health Center visit, IPPE or AWV use code G0468.
			y be helpful to follow during our Medicare website under Preventive Care Guidelines.
General Patient Info			
Age Gender	Race	Eth	nicity
Health Status			Frailty
Physical Function		Hearing Impairme	nt None
Risk Factors			
Depression None None	Life Satis	sfaction 🗌 Good	
Loneliness/Social Isolation	None	Pain/Fatigue 🔲 I	None
Physical Activity ☐ Exercise _ Diet/Nutrition ☐ Good witho Seat Belt Use in Vehicle ☐ Al Home Safety ☐ Safe	days per week for ut lack Oral H ways use Sexual	minutes per epealth ☐ Brush/fl Health	oisodeoss regularly
Activities of Daily Livir	ng		
Dressing No Difficulty	Feeding 🗌 ND		Toileting ND
Grooming DND	Balance/R	Risk of Falls)
Bathing ND	Walking [ND	
Instrumental ADLs			
Shopping ND	Food Preparation ND		Using Phone ND
Housekeeping ND	Laundry 🗌 ND	Т	ransportation ND
Handle Finances ND			
Visit History			
Last Wellness Visit: Date	Provider/Location		
•			
Last Hospitalization: Date	Provider/Location		

Drug/Alcohol Dependence Emphysema Epilepsy Fracture Specify location and type:	 □ Pancreatitis □ Paralysis □ Peptic Ulcer Disease □ Peripheral Vascular Disease □ Disease
Gastroesophageal Reflux Disease Head/Spinal Injuries HIV Hyperlipidemia Hypertension with CHF with CKD Insomnia Malignancy Specify: Obesity Osteoarthritis Osteoporosis	 □ Pituitary Disease □ Pressure Ulcer <i>Site:</i>
Coronary artery bypass graft Coronary stents Hernia repair	
() () ()	Osteomyelitis Osteoporosis Coronary artery bypass graft Coronary stents Hernia repair

Medications (Type, dose, route, frequency)



Patient Last Name, First Name	Date of Birth	Date	Provider	
Physical Exam				
Height	Weight		BMI	
Blood pressure (If blood pressure is above Pain assessment on scale of 0 to 10 (10 is w	,	ecord the second b	plood pressure reading)	
Visual acuity screen (for IPPE):	(OISt)			
Detection of Any Cognitive Impa Direct observation; patient reports; concern		, friends or caretak	ers; other:	
Risk Factors for Depression and ☐ Current and/or past experiences with de				
Patient Health Questionnaire (PHQ-9)				
☐ No current and/or past experiences with	n depression or anxiety			
☐ Current and/or past experiences with ot Specify:				

Current Providers, Specialists and Pharmacies (In-home delivery company and local pharmacy)



	Patient Last Name, First Name	Date of Birth	Date	Provider
--	-------------------------------	---------------	------	----------

Establish a written screening schedule, such as a checklist, for the next five to 10 years based on recommendations from the following resources and the member's health risk assessment, health status and screening history:

- U.S. Preventive Services Task Force (see below for nonpregnant members)
- Advisory Committee on Immunization Practices
- Age-appropriate preventive services covered by Medicare (see Annual Wellness Visit Guide)

Establish a list of risk factors and conditions that have a recommended intervention (see below table)

U.S. Preventative Services Task Force A and B Recommendations

ELIGIBLE	TEST	GENDER	AGES	OTHER CRITERIA RECOMMENDATION		SCHEDULE
	Abdominal aortic aneurysm screening	Men	65 to 75	Ever smoked One-time screening with ultrasonography		
	Anxiety disorder in adults	All	19 to 64	Don't currently have a diagnosed mental health disorder	Screen for anxiety	
	Blood pressure screening	All	18 and older	Obtain measurements outside the clinical setting for diagnostic confirmation before starting treatment	Screen for hypertension	
	Breast cancer gene risk assessment and genetic counseling/testing	Women		Personal or family history of breast, ovarian, tubal or peritoneal cancer or ancestry associated with BRCA1 or BRCA2 gene mutations, use familial risk assessment tool testing		
	Breast cancer preventive medications	Women		Increased risk for breast cancer and at low risk for adverse medication side effects	Offer risk-reducing medications such as tamoxifen, raloxifene or aromatase inhibitors	
	Breast cancer screening	Women	40 to 74	Biennial screening mammography with or with	thout clinical breast examination	
	Cervical cancer screening	Women	21 to 29	Screen with cervical cytology alone every 3 ye	ears	
			30 to 65	As above or hrHPV testing alone every 5 year	s or hrHPV + cytology every 5 years	
	Chlamydia screening	Women	24 or younger	Sexually active		
			25 and older	Increased risk for infection	Screen for chlamydia	
	Colorectal cancer screening	All	45 to 75		Screen for cancer	
	Depression screening	All	18 and older	Screen with adequate systems in place to ensure accurate diagnosis, effective treatment and appropriate follow-up		
	Diabetes screening	All	35 to 70	Overweight or obese Screen for abnormal blood glucose and offer or refer if abnormal to intensive behavioral counseling interventions to promote a healthy diet and physical activity		
	Fall prevention	All	65 and older	Community-dwelling at increased risk for falls	Exercise interventions to prevent falls	
	Folic acid supplementation	All	See other criteria	Planning or capable of pregnancy	Take folic acid supplement: 0.4 to 0.8 mg per day	
	Gonorrhea screening	Women	24 or younger	Sexually active		
			25 and older	Increased risk for infection	Screen for gonorrhea	
	Healthy diet and physical activity counseling to prevent cardiovascular disease	All	18 and older	Overweight or obese with additional cardiovascular disease risk factors	Intensive behavioral counseling interventions to promote healthy diet and physical activity for CVD prevention	
	Hepatitis B screening: adolescents and adults (nonpregnant)	All		High risk for infection	Screen for hepatitis B virus infection	



			Date of Bil	rth Date F	TOVIDE1	
U.S. P	reventative Services Ta	ask Fo	rce A and B	Recommendations		
ELIGIBL	TEST	GENDER	AGES	OTHER CRITERIA	RECOMMENDATION	SCHEDULI
	Hepatitis C virus infection screening	All	18 to 79	High risk for infection or if born between 1945 and 1965 (inclusive) offer one-time screening	Screen for HCV infection	
	HIV pre-exposure prophylaxis for the prevention of HIV infection			High risk of HIV acquisition	Offer PrEP with effective antiretroviral therapy	
	HIV screening: adolescents and	All	15 to 65		Screen for HIV infection	
	adults (nonpregnant)		< 15 or > 65	At increased risk		
	Intimate partner violence screening	Women	Reproductive age	Screen for intimate partner violence. If positions on support services.	tive, then provide or refer to	
	Lung cancer screening	All	50 to 80 without a substantial limit to life expectancy	20 pack-year history and current smoker or within 15 years since quitting and without a health problem that would limit ability or willingness to have curative lung surgery	Low-dose computed tomography	
	Obesity screening and counseling	All	Any	BMI >= 30	Intensive multicomponent behavioral interventions	
	Osteoporosis screening	Women	64 and younger	Postmenopausal and at increased risk of osteoporosis as determined by a formal risk assessment tool (e.g. FRAX)	Screen for osteoporosis with bone measurement testing	
			65 and older		Screen as above	
	Sexually transmitted infections counseling	All	Reproductive age	Increased risk for sexually transmitted infections	Intensive behavioral counseling	
	Skin cancer behavioral counseling	All	24 and younger	Fair skin type	Counseling to minimize exposure to UV radiation	
	Statin preventive medication	All	40 to 75	All the following: no history of CVD, >= 1 CVD risk factors (i.e. dyslipidemia, diabetes, hypertension or smoking) and 10-year cardiovascular risk of >= 10%	Low- to moderate-dose statin	
	Syphilis screening: nonpregnant	All	Any	At increased risk for infection	Screen for syphilis	
	Tobacco use counseling and interventions: nonpregnant adults	All	Any		Advise to stop using, provide behavioral interventions and FDA-approved medication for cessation	2
	Tuberculosis screening	All	18 and older	Populations at increased risk	Screen for latent TB	
	Unhealthy alcohol use	All	18 and older	Risky or hazardous drinking	Brief behavioral counseling interventions to reduce unhealthy alcohol use	
	Unhealthy drug use	All	18 and older	Don't currently have a diagnosed drug use disorder	Ask questions about unhealthy drug use	
RISK F	ACTOR/CONDITION					
TREAT	MENT OPTIONS					

☐ Diabetic with new amputation

Patient Last Name, First Name		Date of Birth	Date	Provider	
Condition Con	firmation				
ICD-10	CONDITION	STATUS	PLAN	IMPRESSION	
		☐ Stable☐ Unstable☐ Asymptomatic☐ Symptomatic☐ Unknown	Continue Change Monitor Work up		
		Stable Unstable Asymptomatic Symptomatic Unknown	Continue Change Monitor Work up		
		Stable Unstable Asymptomatic Symptomatic Unknown	Continue Change Monitor Work up		
		Stable Unstable Asymptomatic Symptomatic Unknown	Continue Change Monitor Work up		
		☐ Stable ☐ Unstable ☐ Asymptomatic ☐ Symptomatic ☐ Unknown	Continue Change Monitor Work up		
		☐ Stable ☐ Unstable ☐ Asymptomatic ☐ Symptomatic ☐ Unknown	☐ Continue ☐ Change ☐ Monitor ☐ Work up		
Care Coordina	tion (Check all that apply)				
BEHAVIORAL HEA					
☐ Acute case wher	e BH case manager may be	nefit			
	BH inpatient or residential t		-		
Two or more add	missions to BH inpatient or	residential treatment cente	er in 12 months		
CASE MANAGEME	NT			☐ Social/financial	
☐ Asthma☐ Burns, second degree over 19% of body		☐ Diabetic with new diag☐ End of life	HOSIS OF FEHALIAHUTE	☐ Transplant	
☐ Cerebral vascular accident/subarachnoid		☐ ER visits, three or mor	e in last six months	☐ Trauma, severe multiple (such as	
hemorrhage with cognitive deficits		☐ HIV/AIDS		motor vehicle accident)	
Chronic obstruc	tive pulmonary disease	☐ Inpatient admissions,	more than three	☐ Traumatic brain injury	
☐ Congestive hear	t failure	within six months		☐ Wound management, complicated	
☐ Coronary artery		☐ Inpatient length of sta	-	Other	
☐ Diabetes		☐ Medication manageme	ent	Specify:	

☐ Paraplegia/quadriplegia



Patient Last Name, First	Name	Date of Birth	Date	Provider
Advance Care Pl	anning Services			
Discussed future care	decisions:			
Are advance directives	(plans around resuscitation, life	e-sustaining treatment and	end-of-life care) in	place at this time?
Does the member nee	ed assistance completing advar	nce directives? Yes	□ No	
Encouraged member	to inform others about care p	references:		
Explained advance dir	ectives (may require completion	on of standard forms):		
☐ Member did not w	ish to discuss any of the above	at this time		
Additional Meas	ures (Eligible for both Medic	are and Medicaid)		
MEASURE	DESCRIPTION	,	COMPLETED D	ATE
Functional Status	Assess ability to perform ADL	5		
Pain Screening	Screening/pain management		-	
Medication Review	Annual review of all medication			
Wedication Neview	Transcriew of all medication	nis and supplements		
PROVIDER SIGNATU	RE	PROVIDER CREDENTIAL	LS	DATE